Zealmax Ortho

Manufacturer & Exporter of Orthopedic Implants

Arthroscopy Implants



www.orthoimplantsindia.com | +91 93136 15946 | export@orthoimplantsindia.com

ABOUT ZEALMAX

Zealmax Ortho, a global manufacturer and exporter of orthopedic implants, has completed almost 2 decades of offering world-class orthopedic implants. Since 2006, we have aimed to provide superior orthopedic care, expanding our global presence across 85+ countries. With immense hard work, dedication, and perseverance, we have established a prominent name in the orthopedic industry and have been awarded “Key Global Player for Orthopedic Implants Supplier” by Market Watch (A subsidiary of Dow Jones & Company).

FSC FREE SALE CERTIFICATE

GMP CERTIFIED GOOD MANUFACTURING PRACTICE

CE CE CERTIFIED

ISO 13485:2016 MEDICAL DEVICES

FDA DRUG LICENSE INDIAN FDA

CERTIFIED ISO COMPANY



Top Notch Quality


Robotic Manufacturing

In Time Delivery

End To End Support

OEM-ODM Expertise

To Empower Your Orthopedic Growth



OUR ARTHROSCOPY IMPLANTS RANGE

Our premium range of arthroscopy implants includes 100+ meticulously designed implants, each undergoing rigorous quality checks to ensure the highest standards of surgical excellence.

Meticulously engineered with minimally invasive profiles, these implants are designed to streamline surgeries to reduce patient discomfort, minimize scarring, and promote faster recovery times.



KNEE ARTHROSCOPY



SHOULDER ARTHROSCOPY

INDEX

KNEE ARTHROSCOPY

Name	Pg. No.
Endo Button Continuous Loop	08
Endo Button Braided Loop	09
Adjustable Loop	10
Adjustable Loop 4T	11
Adjustable Loop with Fiber Tape	12
Knotless Rope with Loop Washer	13
Loop Button	14
ABS Button	14
ABS Button Cover - Close	15
ABS Button Cover - Open	15
Button With Loop (Knotless) Fixation System	16
Button With Loop (Knotless) Fixation System With Needle	16
Eight Plate - Small	17
Eight Plate - Medium	17
Eight Plate - Large	18
ACL Interference Screw, Cannulated - Peek	19
ACL Interference Screw, Cannulated - Titanium	20
Meniscus Repair Suture Anchor	21
Loop Washer	22
Spiked Washer	23
Loop Washer	23
Tibial Suture Disk	24
Tibial Post Fixation Screw - 6.5mm	24
Low Profile Cancellous Screw - 4.0mm	25
Low Profile Cancellous Screw - 6.5mm	25
Fixation Button With Loop (knotless) System	26

INDEX

SHOULDER ARTHROSCOPY

II. Shoulder Arthroscopy	Pg. No.
Suture Anchor - 2.4mm	28
Suture Anchor - 2.8mm	29
Suture Anchor - 3.0mm	30
Suture Anchor - 3.5mm	31
Suture Anchor - 5.0mm / 6.5mm	32
Suture Anchor Peek - 2.8mm / 3.0mm / 3.5mm	33
Suture Anchor Peek - 5.5 mm	34
Dual Threaded Suture Anchor - 2.8mm / 3.5mm	35
Dual Threaded Suture Anchor - 5.0mm / 6.5mm	34
Suture Anchor Knotless Peek - 2.8mm / 3.0mm / 3.5mm	36
Suture Anchor Knotless - 4.5mm / 5.0mm / 5.5mm	37
Reknot Suture Anchor - 1.7mm / 3.0 mm	38
Disposable Cannula	39
ReFiber	40
Tape	41
Meniscal Repair Needle	42
Graft Stitch Loop	42

INSTRUMENT SETS

Name	Pg. No.
ACL/PCL Instrument Set Box	44
Shoulder Instrument Set	46
Meniscal Repair Instrument Set	48

KNEE ARTHROSCOPY


Our Knee Arthroscopy range includes a comprehensive selection of implants and devices engineered for optimal performance during ACL and PCL reconstruction. Designed for precision and durability, each component meets the highest standards of safety, strength, and surgical compatibility.

Key Applications:

- ACL/PCL reconstruction
- Ligament repair and fixation
- Meniscal repairs and suture anchoring
- Minimally invasive arthroscopic knee procedures

Product Highlights:

- Titanium and PEEK options for varied clinical preferences
- Knotless and adjustable loop solutions for efficient fixation
- Multiple implant sizes and configurations
- Compatible with a wide range of surgical instruments
- Focus on faster recovery and minimal trauma











ENDO BUTTON CONTINUOUS LOOP



PRODUCT INFORMATION

- Designed for arthroscopic ACL reconstruction procedures to provide strong femoral fixation.
- Made from medical-grade titanium with a pre-attached continuous loop.
- Knotless design simplifies the technique, reduces surgical steps and minimizes intraoperative time.
- Allows more graft length to reside within the femoral tunnel, promoting better healing.
- Compatible with various graft lengths, offering surgical flexibility and consistency.

ORDERING INFORMATION

Titanium / UHMWPE	
Length	**Code**
12mm	5001.012
15mm	5001.015
20mm	5001.020
25mm	5001.025
30mm	5001.030
35mm	5001.035
40mm	5001.040

RELATED INSTRUMENTS

Code	Description
IN.API.016	4.5mm Endoscopic Reamer (Cannulated)

ENDO BUTTON BRAIDED LOOP



PRODUCT INFORMATION

- Ideal for ACL reconstruction procedures requiring extra loop strength.
- Features a titanium button with a pre-attached braided suture loop.
- Braided design offers high tensile strength and better knot security.
- Streamlines the procedure while maintaining high graft stability.

ORDERING INFORMATION

Titanium / UHMWPE	
Length	**Code**
12mm	5036.012
15mm	5036.015
18mm	5036.018
20mm	5036.020
25mm	5036.025
30mm	5036.030
35mm	5036.035

RELATED INSTRUMENTS

Code	Description
IN.API.016	4.5mm Endoscopic Reamer (Cannulated)

ADJUSTABLE LOOP



PRODUCT INFORMATION

- Primarily designed for ACL reconstruction with real-time graft tension control
- Features a titanium button with an adjustable suture loop for precise length adjustment.
- Customizable loop tension enhances surgical accuracy and graft stability
- Eliminates knot tying, supporting minimally invasive techniques.
- Improves recovery outcomes by ensuring optimal graft positioning.

ORDERING INFORMATION

Titanium / UHMWPE
Code
5002.001

RELATED INSTRUMENTS

Code	Description
IN.API.016	4.5mm Endoscopic Reamer (Cannulated)

ADJUSTABLE LOOP 4T



PRODUCT INFORMATION

- Advanced adjustable loop system used in ACL reconstruction for enhanced performance.
- Incorporates two sutures for greater graft support and uniform load distribution
- Provides superior grip and fixation strength, even under dynamic conditions.
- Maintains adjustability while improving tension control throughout the procedure.
- Ideal for surgeons requiring robust and reliable fixation with added security.

ORDERING INFORMATION

Titanium / UHMWPE
Code
5002.5.001

RELATED INSTRUMENTS

Code	Description
IN.API.016	4.5mm Endoscopic Reamer (Cannulated)

ADJUSTABLE LOOP WITH FIBER TAPE



PRODUCT INFORMATION

- Combines an adjustable loop with integrated fiber tape for reinforced ACL graft fixation.
- Fiber tape adds extra strength, increases surface contact, enhancing graft support.
- Ideal for high-performance ACL repairs requiring added graft reinforcement.

ORDERING INFORMATION

Titanium / UHMWPE
Code
5035.001

RELATED INSTRUMENTS

Code	Description
IN.API.016	4.5mm Endoscopic Reamer (Cannulated)

KNOTLESS ROPE WITH LOOP WASHER



PRODUCT INFORMATION

- Designed for ACL reconstruction, offering a knotless fixation solution.
- Features a strong, braided rope-like suture with an integrated loop washer.
- Loop washer anchors securely within the bone tunnel for firm graft fixation.
- Eliminates knot tying, reducing surgical time and minimizing complications.
- Provides superior strength, flexibility, and reliable performance in arthroscopic procedures.

ORDERING INFORMATION

Titanium / UHMWPE
Code
5033.001

RELATED INSTRUMENTS

Code	Description
IN.API.010	6.0mm Tibial Reamer
IN.API.011	7.0mm Tibial Reamer
IN.API.012	8.0mm Tibial Reamer
IN.API.013	9.0mm Tibial Reamer
IN.API.014	10.0mm Tibial Reamer
IN.API.015	11.0mm Tibial Reamer

LOOP BUTTON



ORDERING INFORMATION

Titanium	
Dimensions	**Code**
4.0x12mm	5008.001

ABS BUTTON



ORDERING INFORMATION

Titanium	
Dimensions	**Code**
8.0x12mm	5030.001

ABS BUTTON COVER - CLOSE



ORDERING INFORMATION

Titanium	
Dimensions	**Code**
5.0x20mm	5031.001

ABS BUTTON COVER - OPEN



ORDERING INFORMATION

Titanium	
Dimensions	**Code**
5.0x20mm	5032.001


BUTTON WITH LOOP (KNOTLESS) FIXATION SYSTEM



ORDERING INFORMATION

Titanium / UHMWPE
Code
5040.001

BUTTON WITH LOOP (KNOTLESS) FIXATION SYSTEM WITH NEEDLE



ORDERING INFORMATION

Titanium / UHMWPE
Code
5040.002

EIGHT PLATE – SMALL



ORDERING INFORMATION

Titanium
Code
5042.001

RELATED IMPLANTS & INSTRUMENT SET

3.5mm Cortical Screw, Self Tapping
4.0mm Cancellous Screw
4.0mm Cannulated Cancellous Screw
3.5mm LCP Instrument Set

EIGHT PLATE – MEDIUM



ORDERING INFORMATION

Titanium
Code
5042.002

RELATED IMPLANTS & INSTRUMENT SET

3.5mm Cortical Screw, Self Tapping
4.0mm Cancellous Screw
4.0mm Cannulated Cancellous Screw
3.5mm LCP Instrument Set

EIGHT PLATE – LARGE



ORDERING INFORMATION

Titanium
Code
5042.003

RELATED IMPLANTS & INSTRUMENT SET

3.5mm Cortical Screw, Self Tapping
4.0mm Cancellous Screw
4.0mm Cannulated Cancellous Screw
3.5mm LCP Instrument Set


3.5MM LOCKING PATELLA PLATE



ORDERING INFORMATION

Titanium	
Size	Code
Small	3482.001
Medium	3482.002
Large	3482.003

ACL INTERFERENCE SCREW, CANNULATED – PEEK



PRODUCT INFORMATION

- Cannulated screw designed to provide secure graft fixation in ACL and PCL reconstruction by engaging the graft within the femoral tunnel.
- PEEK material (radiolucent) offers biocompatibility and minimal allergic reactions.
- Hollow screw design (cannulation) allows accurate, guided placement.
- Provides primary stability while graft integrates into the bone.
- Ideal for cases requiring strong, non-metallic fixation.

ORDERING INFORMATION

Length	Peek				
	ø7.0mm	ø8.0mm	ø9.0mm	ø10.0mm	ø11.0mm
20mm	5003.07.020	5003.08.020	5003.09.020	5003.10.020	5003.11.020
25mm	5003.07.025	5003.08.025	5003.09.025	5003.10.025	5003.11.025
30mm	5003.07.030	5003.08.030	5003.09.030	5003.10.030	5003.11.030
35mm	5003.07.035	5003.08.035	5003.09.035	5003.10.035	5003.11.035

RELATED INSTRUMENTS

Code	Description
SD.023	Screw Driver For Interference Screw, PEEK

ACL INTERFERENCE SCREW, CANNULATED - TITANIUM



PRODUCT INFORMATION

- Titanium cannulated screw for reliable graft fixation in ACL procedures.
- Offers excellent strength and biocompatibility.
- Hollow center allows accurate screw placement over a guidewire.
- Provides rigid, durable fixation during the healing period.
- Preferred in procedures requiring metal-based implants.

ORDERING INFORMATION

Length	Titanium				
	ø7.0mm	ø8.0mm	ø9.0mm	ø10.0mm	ø11.0mm
20mm	5004.07.020	5004.08.020	5004.09.020	5004.10.020	5004.11.020
25mm	5004.07.025	5004.08.025	5004.09.025	5004.10.025	5004.11.025
30mm	5004.07.030	5004.08.030	5004.09.030	5004.10.030	5004.11.030
35mm	5004.07.035	5004.08.035	5004.09.035	5004.10.035	5004.11.035

RELATED INSTRUMENTS

Code	Description
SD.024	Screw Driver For Interference Screw, Titanium

MENISCUS REPAIR SUTURE ANCHOR



PRODUCT INFORMATION

- Designed specifically for arthroscopic meniscal repair procedures.
- Pre-loaded with high-strength suture for secure fixation of torn meniscal tissue.
- Available with three needle configurations—Straight, Curved, and Reverse Curved—to accommodate various tear patterns and anatomical access.
- Enables all-inside repair techniques, minimizing the need for additional incisions.
- Promotes stable fixation and optimal healing while reducing surgical trauma.
- Ideal for complex meniscus tear involving body and Posterior Horn.


ORDERING INFORMATION

Peek	
Code	**Description**
5039.001	Straight
5039.002	Curved
5039.003	Reverse Curved

RELATED INSTRUMENTS

Code	Description
IN.SAI.025	Knot Pusher
IN.SAI.023	Suture Cutter
RGI.233	Sleeve For All Inside Meniscal Repair System

SPIKED LIGAMENT STAPLE



PRODUCT INFORMATION

- Specialized implant used to secure ligaments during knee surgery.
- Small spikes anchor the staple securely into surrounding tissue.
- Provides immediate mechanical stability to the repaired ligament.
- Reduces implant migration and facilitates early rehabilitation.
- Ideal for reinforcing soft tissue repairs in arthroscopic procedures.

ORDERING INFORMATION

Titanium	
Length	**Code**
Small	5012.S
Medium	5012.M
Large	5012.L

RELATED INSTRUMENTS

Code	Description
IN.API.037	Impactor Of Spiked Ligament Staple

LOOP WASHER



ORDERING INFORMATION

Titanium
Code
5005.001

SPIKED WASHER



ORDERING INFORMATION

Titanium	
Length	Code
4.0mm	5011.4.0
6.5mm	5011.6.5


TIBIAL SUTURE DISK



ORDERING INFORMATION

Titanium
Code
5007.D
5007.R


TIBIAL POST FIXATION SCREW – 6.5MM



ORDERING INFORMATION

Titanium	
Length	Code
20mm	5006.020
25mm	5006.025
30mm	5006.030
35mm	5006.035
40mm	5006.040


LOW PROFILE CANCELLOUS SCREW - 4.0MM



ORDERING INFORMATION

Titanium	
Length	**Code**
25mm	5009.025
30mm	5009.030
35mm	5009.035
40mm	5009.040
45mm	5009.045
50mm	5009.050
55mm	5009.055

LOW PROFILE CANCELLOUS SCREW - 6.5MM




ORDERING INFORMATION

Titanium	
Length	**Code**
25mm	5010.025
30mm	5010.030
35mm	5010.035
40mm	5010.040
45mm	5010.045
50mm	5010.050
55mm	5010.055

FIXATION BUTTON WITH LOOP (KNOTLESS) SYSTEM



Code	Application
5043.001	Syndesmosis Joint – Non Fracture
5043.002	Syndesmosis Joint – Fracture
5043.003	Acromioclavicular Joint – Non Fracture
5043.004	Acromioclavicular Joint – Fracture



Joint - Fracture



Joint - Non Fracture

RELATED INSTRUMENTS

Code	Description
ADBS.025	Drill Bit 3.5MM X 200MM

SHOULDER ARTHROSCOPY

Zealmax Ortho's Shoulder Arthroscopy implants are specifically tailored for soft tissue to bone fixation. From SLAP repairs to rotator cuff reconstructions, our anchors and associated tools are crafted to provide strength, consistency, and ease of use in minimally invasive settings.



Key Applications:


- SLAP and Bankart lesion repairs
- Rotator cuff reconstructions
- Biceps tenodesis
- Shoulder stabilization procedures



Product Highlights:

- Range of diameters from 2.4mm to 6.5mm
- Titanium and PEEK options available
- Knotless and dual-threaded variants for surgeon convenience
- Loaded with ReFiber for superior tensile strength
- Self-drilling, self-tapping, and MRI-compatible designs







SUTURE ANCHOR 2.4MM



PRODUCT INFORMATION

- Designed to securely attach soft tissue (e.g., tendons/ligaments) to bone in arthroscopic procedures.
- Small 2.4mm diameter suitable for minimally invasive surgeries, especially in the SLAP & Bankart Lesion.
- Threaded or barbed body ensures strong fixation within the bone.
- Loaded with one-piece ReFiber (with or without needle), saving surgical time.
- Minimizes risk of contamination and tissue irritation during insertion.
- Self-Drilling Anchor creates its own pilot hole without the need for pre-drilling.

ORDERING INFORMATION

Titanium		
Diameter	**Code**	**Description**
2.4mm	5014.12.4	Loaded with One PC Refiber
2.4mm	5014.52.4	Loaded with One PC Refiber with Needle

RELATED INSTRUMENTS

Code	Description
SADB.001	Anchor Drill Bit - 1.2mm
IN.SAI.004	Anchor Drill Guide Sleeve

SUTURE ANCHOR 2.8MM



PRODUCT INFORMATION

- Offers slightly more strength while retaining suitability for tight anatomical spaces.
- Barbed/threaded structure enables stable grip within the bone.
- Ideal for SLAP & Bankart Lesion shoulder surgeries with reduced bone stock.
- Pre-loaded with one-piece ReFiber for faster application.
- Length of 2.8mm allows for efficient soft tissue fixation with minimal trauma.
- Self-Drilling Anchor creates its own pilot hole without the need for pre-drilling.

ORDERING INFORMATION

Titanium		
Diameter	**Code**	**Description**
2.8mm	5013.12.8	Loaded with One PC Refiber
2.8mm	5013.52.8	Loaded with One PC Refiber with Needle

RELATED INSTRUMENTS

Code	Description
SADB.002	Anchor Drill Bit - 2.0mm
IN.SAI.004	Anchor Drill Guide Sleeve

SUTURE ANCHOR 3.0MM



PRODUCT INFORMATION

- Increased diameter offers greater pull-out strength for medium-tension repairs.
- Optimized for arthroscopic shoulder procedures.
- Ensures precise, secure graft placement with minimal bone disruption.
- Comes pre-loaded with one-piece ReFiber (with or without needle).
- Facilitates reduced surgical time and consistent outcomes.

ORDERING INFORMATION

Titanium		
Diameter	**Code**	**Description**
3.0mm	5015.13.0	Loaded with One PC Refiber
3.0mm	5015.53.0	Loaded with One PC Refiber with Needle

RELATED INSTRUMENTS

Code	Description
SADB.003	Anchor Drill Bit - 2.2mm
IN.SAI.004	Anchor Drill Guide Sleeve

SUTURE ANCHOR 3.5MM



PRODUCT INFORMATION

- Ideal for moderate-to-heavy load-bearing tissue fixation.
- Threaded/barbed design promotes durable engagement with bone.
- Used in shoulder and other small joint arthroscopies.
- Supplied with pre-loaded ReFiber, reducing prep and handling time.
- 3.5mm size offers balance between strength and minimal invasiveness.

ORDERING INFORMATION

Titanium		
Diameter	**Code**	**Description**
3.5mm	5013.13.5	Loaded with One PC Refiber
3.5mm	5013.53.5	Loaded with One PC Refiber with Needle

RELATED INSTRUMENTS

Code	Description
SADB.004	Anchor Drill Bit - 2.5mm
IN.SAI.004	Anchor Drill Guide Sleeve

SUTURE ANCHOR 5.00MM/6.5MM



PRODUCT INFORMATION

- Designed for large-joint surgeries requiring higher fixation strength.
- Available in multiple lengths to suit anatomical needs.
- Ensures superior tendon-to-bone fixation under high load.
- Threaded profile increases pull-out resistance.
- Loaded with one-piece ReFiber for streamlined surgical workflow.
- Ideal for strong repairs like Rotator Cuff, Tendo Achilis

ORDERING INFORMATION

Titanium		
Diameter	**Code**	**Description**
5.0mm	5021.25.0	Loaded with Two Pc Refiber #2
5.0mm	5021.35.0	Loaded with Three Pc Refiber #2
5.0mm	5021.55.0	Loaded with Two Pc Refiber #2 with Needle
6.5mm	5021.26.5	Loaded with Two Pc Refiber #2
6.5mm	5021.36.5	Loaded with Three Pc Refiber #2
6.5mm	5021.56.5	Loaded with Two Pc Refiber #2 with Needle

RELATED INSTRUMENTS

Code	Description
SADB.010	3.2mm Anchor Drill Bit For 5.0mm TT Anchor
SADB.015	3.2mm Anchor Drill Bit For 6.5mm TT Anchor
IN.SAI.004	Anchor Drill Guide Sleeve

SUTURE ANCHOR PEEK



PRODUCT INFORMATION

- Made from biocompatible, radiolucent PEEK material that ensures imaging clarity and reduces bone stress.
- Non-absorbable anchor with smooth eyelet for low friction and high abrasion resistance.
- Self-tapping design allows direct insertion through the same spear after drilling.
- Pre-loaded with ReFiber: single-loaded for 2.8mm; double-loaded for 3.0mm and 3.5mm.
- Ideal for minimally invasive shoulder surgeries with minimal tissue disruption.

ORDERING INFORMATION

Peek		
Diameter	**Code**	**Description**
2.8mm	5017.12.8	Loaded with One PC Refiber
3.0mm	5017.23.0	Loaded with Two PC Refiber
3.5mm	5017.23.5	Loaded with Two PC Refiber

RELATED INSTRUMENTS

Code	Description
SADB.005	2.4mm Anchor Drill Bit for 2.8mm Peek Anchor
SADB.006	2.6mm Anchor Drill Bit for 3.0mm Peek Anchor
SADB.007	3.0mm Anchor Drill Bit for 3.5mm Peek Anchor
IN.SAI.004	Anchor Drill Guide Sleeve

SUTURE ANCHOR PEEK – 5.5MM



PRODUCT INFORMATION

- Large diameter ensures robust fixation for high-stress zones.
- Manufactured from PEEK for excellent tissue compatibility.
- Comes pre-loaded with two or three ReFibers depending on surgeon preference.
- Ideal for large tendon reconstructions in shoulder or hip.

ORDERING INFORMATION

Peek		
Diameter	**Code**	**Description**
5.5mm	5022.25.5	Loaded with Two PC Refiber
5.5mm	5022.35.5	Loaded with Three PC Refiber

RELATED INSTRUMENTS

Code	Description
IN.SAI.006	5.5mm Bone Tap (Pointed)

DUAL THREADED SUTURE ANCHOR - 2.8MM/3.5MM



PRODUCT INFORMATION

- Two thread patterns offer strong cortical and cancellous bone engagement.
- Excellent for compromised bone quality or high-load areas.
- Pre-loaded with one-piece ReFiber for quick surgical use.
- Reduces pull-out risk during shoulder reconstructions.
- Available in 2.8mm and 3.5mm variants for anatomical flexibility.

ORDERING INFORMATION

Titanium		
Diameter	**Code**	**Description**
2.8mm	5016.12.8	Loaded with One Pc Refiber
2.8mm	5016.52.8	Loaded with One Pc Refiber with Needle
3.5mm	5016.13.5	Loaded with One Pc Refiber
3.5mm	5016.53.5	Loaded with One Pc Refiber with Needle

RELATED INSTRUMENTS

Code	Description
SADB.002	2.0mm Anchor Drill Bit for 2.8mm Dual Thread TT Anchor
SADB.004	2.5mm Anchor Drill Bit for 3.5mm Dual Thread TT Anchor
IN.SAI.004	Anchor Drill Guide Sleeve

DUAL THREADED SUTURE ANCHOR - 5.0MM/6.5MM



PRODUCT INFORMATION

- Features dual-thread design to maximize holding power.
- Offers improved fixation in both hard and soft bone regions.
- Ideal for large tendon repairs such as rotator cuff or Achilles tendon.
- Loaded with two or three pieces of ReFiber (with/without needle).
- Larger sizes accommodate more aggressive reconstructions.


ORDERING INFORMATION

Titanium		
Diameter	**Code**	**Description**
5.0mm	5020.25.0	Loaded with Two Pc Refiber #2
5.0mm	5020.35.0	Loaded with Three Pc Refiber #2
5.0mm	5020.55.0	Loaded with Two Pc Refiber #2 with Needle
6.5mm	5020.26.5	Loaded with Two Pc Refiber #2
6.5mm	5020.56.5	Loaded with Two Pc Refiber #2 with Needle

RELATED INSTRUMENTS

Code	Description
SADB.008	2.5mm Drill Bit For 5.0mm Dual Thread TT Anchor
SADB.013	3.5mm Drill Bit For 6.5mm Dual Thread TT Anchor

SUTURE ANCHOR KNOTLESS PEEK



PRODUCT INFORMATION

- Knotless design allows tensionable soft tissue fixation without knot tying, reducing surgical time.
- Made from high-strength, radiolucent PEEK for MRI compatibility and optimal bone integration.
- Features an interference screw mechanism for secure suture anchoring directly into bone.
- Minimizes surgical trauma and improves precision in confined anatomical areas.
- Suitable for rotator cuff repairs, labral fixation, and biceps tenodesis.

ORDERING INFORMATION

Peek		
Diameter	**Code**	**Description**
2.8mm	5018.02.8	Peek Tip
3.0mm	5018.03.0	Peek Tip
3.5mm	5018.03.5	Peek Tip

RELATED INSTRUMENTS

Code	Description
SADB.006	2.4mm Anchor Drill Bit for 2.8mm Knotless Peek Anchor
SADB.006	2.6mm Anchor Drill Bit for 3.0mm Knotless Peek Anchor
SADB.006	3.0mm Anchor Drill Bit for 3.5mm Knotless Peek Anchor
IN.SAI.004	Anchor Drill Guide Sleeve

SUTURE ANCHOR KNOTLESS



PRODUCT INFORMATION

- Knotless design simplifies shoulder and small joint arthroscopies.
- Offered in both titanium (high strength) and PEEK (radiolucency).
- Fastens soft tissues with reduced intraoperative time.
- Provides secure fixation without knot stacks that could irritate tissues.
- Available in multiple diameters and materials for surgical flexibility.

ORDERING INFORMATION

Peek/TT tip		
Diameter	**Code**	**Description**
4.5mm	5023.P4.5	Peek Tip
4.5mm	5023.T4.5	Titanium Tip
5.0mm	5023.P5.0	Peek Tip
5.0mm	5023.T5.0	Titanium Tip
5.5mm	5023.P5.5	Peek Tip
5.5mm	5023.T5.5	Titanium Tip

RELATED INSTRUMENTS

Code	Description
SD.043	4.5mm Bone Tap (Pointed)
SD.044	5.0mm Bone Tap (Pointed)
SD.034	5.5mm Bone Tap (Pointed)

REKNOT SUTURE ANCHOR



PRODUCT INFORMATION

- Specially designed to simplify knot management in rotator cuff repair.
- Offers strong and consistent fixation without traditional knots.
- Reduces risk of knot impingement and tissue damage.
- Ensures streamlined workflow for surgeons.
- Enhances repair strength and recovery predictability.

ORDERING INFORMATION

Diameter	Code	Description
1.7mm	5027.11.7	Loaded with One Pc Refiber
1.7mm	5027.21.7	Loaded with Two Pc Refiber
3.0mm	5027.23.0	Loaded with Two Pc Refiber

RELATED INSTRUMENTS

Code	Description
RGI.043	Reknot Drill Sleeve - 1.7mm
RGI.044	Reknot Anchor Drill Bit - 1.7mm
RGI.209	Reknot Drill Sleeve - 3.0mm
RGI.210	Reknot Anchor Drill Bit - 3.0mm

DISPOSABLE CANNULA



PRODUCT INFORMATION

- Provides a sterile, single-use pathway into joints during arthroscopy.
- Reduces risk of infection and cross-contamination.
- Allows easy insertion of instruments while maintaining joint distension.
- Minimizes soft tissue trauma.
- Eliminates sterilization hassles, saving OR time.

ORDERING INFORMATION

Size	Code	Description
8.25x70mm	5026.001	Disposable Cannula Trocar Point
8.25x90mm	5026.002	Disposable Cannula Trocar point

RELATED INSTRUMENTS

Code	Description
IN.SAI.001	Switching Stick
IN.SAI.003	Cannula Introducer 8.0mm

REFIBER



PRODUCT INFORMATION

- UHMWPE core offers superior strength with a soft, abrasion-resistant feel.
- Minimizes tissue trauma during suture passage and knot tying.

ORDERING INFORMATION

Code	Description
5024.001	Refiber, USP #2, with Needle(MO-6), White 36"
5024.002	Refiber, USP #2, with Needle(MO-6), White with Black Tracer, 36"
5024.003	Refiber, USP #5, with Needle(MO-6), White 36"
5024.004	Refiber, USP #5, with Needle(MO-6), White with Black Tracer, 36"

TAPE



PRODUCT INFORMATION

- Flat, braided structure offers broad tissue contact and secure fixation.
- Enhances pressure distribution, reduces tissue cut-through; ideal for rotator cuff and ligament repairs.

ORDERING INFORMATION

Code	Description
5025.001	Tape Size 2mm, White-Black, 39", Working Length 7.5"

MENISCAL REPAIR NEEDLE




PRODUCT INFORMATION

- Enables precise suture placement through small incisions.
- Essential for minimally invasive meniscal repair and joint preservation.

ORDERING INFORMATION

Code
5029.001

GRAFT STITCH LOOP



PRODUCT INFORMATION


- Creates a secure loop within grafts for stable fixation.
- Ensures controlled tensioning and simplifies graft handling.

ORDERING INFORMATION

Length	Code
60mm	5034.001

INSTRUMENT SETS

Our ACL/PCL and Shoulder Arthroscopy Instrument Sets are curated to meet the practical and technical demands of modern-day arthroscopic surgeries. Designed for precision, ergonomics, and reusability, these instruments support a wide range of knee and shoulder procedures.



Key Applications:

- ACL and PCL ligament reconstructions
- Tunnel drilling and graft fixation
- Labral repairs and rotator cuff procedures
- Meniscal interventions and suture passing




Product Highlights:

- Complete instrument kits for both knee and shoulder arthroscopies
- Includes reamers, rasps, probes, suture passers, and more
- Available in stainless steel and titanium
- Optimized for surgeon comfort and OR efficiency
- Compatible with Zealmax implants and suture solutions



ACL/PCL INSTRUMENT SET










INSTRUMENTS


No.	Code	Name
01.	IN.API.024	2.4MM Graft Passing Pin (Beath Pin)
02.	IN.API.023	2.4MM Graft Passing Pin Drill Bit
03.	IN.API.016	4.5MM Endoscopic Reamer
04.	IN.API.025	5.0MM Aimer
05.	IN.API.017	6.0MM Flower Tip Reamer
06.	IN.API.010	6.0MM Tibial Reamer
07.	IN.API.026	7.0MM Aimer
08.	IN.API.018	7.0MM Flower Tip Reamer
09.	IN.API.011	7.0MM Tibial Reamer
10.	IN.API.007	7.0MM Tunnel Dialator
11.	IN.API.044	Tunnel Plug 7-8MM
12.	IN.API.019	8.0MM Flower Tip Reamer
13.	IN.API.012	8.0MM Tibial Reamer
14.	IN.API.008	8.0MM Tunnel Dialator
15.	IN.API.045	Tunnel Plug 8-9MM
16.	IN.API.013	9.0MM Tibial Reamer
17.	IN.API.020	9.0MM Flower Tip Reamer
18.	IN.API.009	9.0MM Tunnel Dialator
19.	IN.API.046	Tunnel Plug 9-10MM
20.	IN.API.021	10.0MM Flower Tip Reamer
21.	IN.API.014	10.0MM Tibial Reamer
22.	IN.API.022	11.0MM Flower Tip Reamer
23.	IN.API.015	11.0MM Tibial Reamer
24.	IN.API.048	ACL Elbow Aimer
		PCL Femoral

No.	Code	Name
24.	IN.API.048	PCL Tibial
		Main Zig
		Angle Bullet
25.	SD.024	ACL Interference Screw Driver for Titanium Screw
26.	IN.API.027	Convex Rasp
27.	IN.API.034	Depth Gauge
28.	IN.API.051	Graft Preparation Board With Scale
		Graft Board Tissue Grasper
		Parts Of Graft Board
		Parts Of Graft Board 1
		Parts Of Graft Board 2
29.	IN.API.047	Graft Sizing Block
30.	IN.API.037	Impactor Of Spiked Ligament Staple
31.	IN.SAI.008	Labral Probe
32.	IN.API.030	Micro Fracture Awl 30°
33.	IN.API.031	Micro Fracture Awl 45°
34.	IN.API.032	Micro Fracture Awl 90°
35.	IN.API.033	PCL Elevator
36.	IN.API.006	Quick Coupling For Tunnel Dialator
37.	IN.API.035	Tendon Stripper 6.0MM Close
38.	IN.API.036	Tendon Stripper 7.0MM Deep
39.	IB.033	ACL/PCL Instrument Box

SHOULDER INSTRUMENT SET







INSTRUMENTS

No.	Code	Name
01.	IN.SAI.001	Switching Stick
02.	IN.SAI.002	Cannula Introducer 6.0MM
03.	IN.SAI.003	Cannula Introducer 8.0MM
04.	IN.SAI.004	Anchor Drill Guide Sleeve
05.	IN.SAI.005	Anchor Drill 3.0MM
06.	IN.SAI.006	5.5MM Bone Tap
07.	IN.SAI.007	Awl For Shoulder Arthroscopy
08.	IN.SAI.008	Labral Probe
09.	IN.SAI.009	Crochet Hook
10.	IN.SAI.010	Tissue Elevator 15 UP
11.	IN.SAI.011	Tissue Elevator 15 DOWN
12.	IN.SAI.013	Glenoid Rasp-UP
13.	IN.SAI.014	Glenoid Rasp-DOWN
14.	IN.SAI.015	Ring Currette
15.	IN.SAI.016	Suture Retreiver
16.	IN.SAI.017	Reusable Suture Passer 25 Left
17.	IN.SAI.018	Reusable Suture Passer 25 Right
18.	IN.SAI.021	Reusable Suture Passer Crescent, Straight
19.	IN.SAI.022	Nitinol loop Wire For Reusable Suture Passer
20.	IN.SAI.023	Suture Cutter
21.	IN.SAI.024	Tissue Grasper With Lock
22.	IN.SAI.025	Knot Pusher
23.	IB.034	Shoulder Instrument Box

MENISCAL REPAIR INSTRUMENT SET





INSTRUMENTS

No.	Code	Name
01.	IN.MRI.001	Double Lumen Cannula, Curved Up-Right
02.	IN.MRI.002	Double Lumen Cannula,Curved Up-Left
03.	IN.MRI.003	Double Lumen Cannula, Straight
04.	IN.MRI.004	Double Lumen Cannula, Curved Left/Right
05.	IN.MRI.005	Double Lumen Cannula, Curved Up/Down
06.	IN.MRI.006	Single Cannula, Straight
07.	IN.MRI.007	Needle Pusher
08.	IN.MRI.008	Meniscus Bender
09.	IB.035	Meniscal Repair Instrument Box

Orthopedic Solutions For Every Surgical Need

Engineered to meet global surgical demands

- Trauma
- Spine
- Pelvic
- Hand & Foot
- Arthroscopy
- Maxillofacial
- Hip Prosthesis
- External Fixation



For more information, visit
www.orthoimplantsindia.com

OR

CONNECT WITH YOUR
PERSONAL SALES REPRESENTATIVE

+91 93136 15946

export@orthoimplantsindiacom

Zealmax Innovations Pvt. Ltd.

504, Indraprasth Business House, University Area,
Vijay Cross Road, Navrangpura,
Ahmedabad - 380009, Gujarat, India